

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The following changes were agreed upon during the 8 November 2010 interview with applicant's representative:

Claim 3, line 3, a --.-- is placed at the end of the line;

Claim 8, line 2, --comprising-- replaces "comprising" and

Claim 11, line 2, a --.-- is placed at the end of the line.

2. The following is an examiner's statement of reasons for allowance: in addition to the reasons for allowance set forth by the applicant in the 22 August 2010 response, the prior art of record does not set forth the mean flow pore size of the complex membrane as set forth in the last line of claim 1. In addition, method claims 8 and 9 have been rejoined with the allowed product claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John S. Maples whose telephone number is 571-272-1287. The examiner can normally be reached on Monday-Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer Michener can be reached on 571-272-1424. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John S. Maples/

John S. Maples
Primary Examiner
Art Unit 1728